



Find out more

**SUSTAINABLE ACOUSTIC
WELL-BEING**

**UNDER
SCREED**

SUSTAINABLE ACOUSTIC WELL-BEING



Our under screed solutions use a patented technology, which allows us to achieve the best acoustic performance using 90% recycled materials.

	Thickness	Impact sound pressure level attenuation ΔL_w	Dynamic stiffness s'
UPGREI	10 mm	26 dB	6 MN/m ³
GREI	7 mm	24 dB	8 MN/m ³
UPROLL	9 mm	24 dB	11 MN/m ³
ROLL	5 mm	22 dB	21 MN/m ³



Un-stretched backing with cut marks.



Self-adhesive border seam for easy joining.



Rolls supplied in stackable packaging.



Excellent mechanical resistance.



UPGREI

High performance impact sound insulation product available in rolls made of EPDM rubber granules coupled with a polyester fibre layer.



Discover the
Technical
Data Sheet



GREI

High performance impact sound insulation product supplied in rolls made of SBR-EPDM rubber granules.



Discover the
Technical
Data Sheet



UPROLL

Impact sound insulation product with reduced thickness available in rolls made of SBR rubber granules.



Discover the
Technical
Data Sheet



ROLL

Impact sound insulation product with reduced thickness available in rolls made of SBR rubber granules.



Discover the
Technical
Data Sheet

**SUSTAINABLE ACOUSTIC
WELL-BEING**



isolgomma.com



ISOLGOMMA SRL
Via dell'Artigianato, 24
36020 Albettonne (VI) Italy
Tel. +39 0444 790781
Fax +39 0444 790784
info@isolgomma.com

Distributor